



MATERIAL SAFETY DATA SHEET

Nr. Review: 00	Emission/Review date:	Last review date:	Code: MSDS-SGQ-48
INF. Review: 00	17/11/2020	XX/XX/XXXX	

1 – IDENTIFICATION OF THE SUBSTANCE AND THE COMPANY

1.1 Product Identifier

Trade Name: Blend Ceramic & Carnaúba Metal Polish

1.2 Application of the product

Blend Ceramic & Carnaúba Metal Polish is a product with exclusive formulation that unites special abrasives, pure Carnaúba and SiO2, resulting in an innovative metal polisher. It promotes shine and prolonged protection. The product can be used with machines or manually on surfaces such as aluminum, iron, stainless steel, copper, brass, chrome, and several other types of metals.

1.3 Details of the supplier of the safety data sheet
Manufacturer/Supplier: EVC Industrial LTDA
Elaboration: Paulo Henrique Sampaio Nobre
CRQ (Regional Chemistry Council): 10400261- 10th region
Address: Rua Luiz Francisco Xavier, 520, Paupina - Cep-60872-508
Company's telephone number: (085) 3274-2896
Emergency telephone number: 0800.014.1149

2 – HAZARDS IDENTIFICATION

2.1 Product Hazards:

Adverse human health hazards: Contact with eyes may irritate.

Environmental hazards: May contaminate the environment if scattered. Avoid entering

watercourses.

Specific hazards: The product is not classified as a dangerous product.

Chemical Hazard: Ingestion, inhalation, eye contact and prolonged skin contact.

2.2 Classification of Substance or Mixture

Acute Toxicity Classification: Category 5

2.3 Signal Words

Warning!

2.4 Hazard Pictogram

Not required





MATERIAL SAFETY DATA SHEET

	Emission/Review date:	Last review date:	Code: MSDS-SGQ-48
Nr. Review: 00	17/11/2020	XX/XX/XXXX	

2.5 Hazard statements

H303 - May be harmful if swallowed

H320 - Causes eye irritation

2.6 Precautionary statements

P312 - Call a Poison Center/Doctor if you feel unwell

3 - COMPOSITION/INFORMATION ON INGREDIENTS

This product is a mixture

3.1 Chemical Nature: Carnaúba Wax and Sílica.

3.2 ingreatents of impurities that may contribute to the hazard.				
Chemical name	No. CAS	Concentration %	Classification*	Notes
Aliphatic hydrocarbons	64742-47-8	40 to 50%	2	Aspiration hazard
Aluminum Oxide	1344-28-1	25 to 35%	ND	ND

3.2 Ingredients or impurities that may contribute to the hazard:

*Classification system adopted: Standard ABNT-NBR 14725-Part 2: 2009. Adoption of the Globally Harmonized System for the Classification and Labeling of Chemicals, UN.

4 - FIRST-AID MEASURES

4.1 First aid measures: Take the victim to an airy place. Remove contaminated clothing. Wash affected body parts with plenty of water and soap. If the victim is unconscious and no longer breathes, practice artificial respiration or oxygenation. Forward to the nearest medical service taking this file.

4.2 After skin contact: Immediately wash the affected area with soap and running water for at least 15 minutes. Remove contaminated clothing. In case of effects/symptoms, consult a doctor. Wash contaminated clothing before reuse.

4.3 After eye contact: Flush eyes with plenty of water for at least 15 minutes. Preferably use an eyewash. Seek medical assistance immediately, always carrying the product label and MSDS with the necessary information

4.4 After ingestion: Do not induce vomiting. Seek medical assistance immediately. It is possible that vomiting occurs spontaneously and should not be avoided; in this case, lay the patient on their side to prevent aspirating waste. WARNING: Never give anything orally to an unconscious person.

4.5 Recommendations for the Doctor: Evaluate the composition described on the label.





MATERIAL SAFETY DATA SHEET

Nr. Review: 00	Emission/Review date: 17/11/2020	Last review date: XX/XX/XXXX	Code: MSDS-SGQ-48
----------------	-------------------------------------	---------------------------------	-------------------

5 – FIREFIGHTING MEASURES

5.1 Suitable extinguishing media: Non-flammable product. If a fire starts with other materials, use fire-extinguishing CO2, chemical powder and water extinguishing agent.

5.2 For safety reasons, unsuitable extinguishing agents: Do not use water extinguishing agent, when there are energized sources on site.

5.3 Specific hazards: There is no specific hazard due to its restriction containing more than 70% water.

5.4 Special firefighting methods: The product does not present a risk for special fire methods. Non-flammable product.

5.5 Special equipment for the protection of firefighters: Due to the characteristics of the product, it is not necessary to use special equipment other than those commonly used.

6 - ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions: Remove unnecessary people from the area. Use PPE. If possible, stop the spill or leak source.

6.2 Environmental precautions: Avoid contamination of watercourses by preventing the entrance of rainwater galleries (wolf mouth). Prevent spilled product residues from reaching water collections by absorbing the product with absorbent material (e.g., sawdust, sand or clay). Contact your local security authorities.

6.3 Methods and material for containment and cleaning up: Contain and collect spill. Place the waste in a container for disposal according to local regulations. Clean preferably with water, avoiding the use of solvents. For large spills, contain the liquid in dikes and pump it into suitable containers.

6.4 Prevention of inhalation and skin contact, mucous membranes and eyes: Wear clothing and accessories as described above, in Item 6.1 Personal Precautions

7 - HANDLING AND STORAGE

7.1 Fire and explosion prevention: Keep people, especially children, and pets away from the workplace.

7.2 Prevention of worker exposure: Use PPE as described in item 8.

7.3 Precautions for safe handling: Do not eat, drink, or smoke in the workplace. Wash thoroughly after handling. Do not ingest. Avoid inhalation, aspiration, contact with eyes, and skin. Keep out of the reach of children and pets. Do not reuse the packaging for other purposes. Keep the product in its original package. Do not mix with other products.

7.4 Storage

Adequate storage conditions: Keep the product and, if necessary, leftovers in their original used packaging closed.





MATERIAL SAFETY DATA SHEET

Nr. Review: 00	Emission/Review date: 17/11/2020	Last review date: XX/XX/XXXX	Code: MSDS-SGQ-48
----------------	-------------------------------------	---------------------------------	-------------------

7.5 Storage conditions

Adequate: Keep the container closed adequately at room temperature and protected from light. Store it in a duly identified location. Lock the place to prevent unauthorized people from accessing screens.

To avoid: Humid places with high temperatures.

Incompatible products and materials: Oxidizing agents. Do not store together with food, drinks, including those intended for animals.

8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 Engineering control measures: Use fans, air circulators, exhaust fans; provide adequate ventilation to the workplace.

8.2 Occupational Exposure Limits:

Component	No. CAS	Agency	Limit	Notes
Aliphatic Hydrocarbons	64742-47-8	CMRG	TWA: 165 ppm	ND
Aluminum Oxide	1344-28-1	NR 15 – ACGIH	10 mg/m³	ND

NR-15 (Regulatory standard no. 15) ACGIH - American Conference of Governmental Industrial Hygienists CMRG: Chemical Manufacturer's Recommended Guidelines TWA: Time-Weighted-Average

8.3 Physical and chemical properties:

Hands: Gloves in the handling process to avoid direct and prolonged contact with the product. **Eyes:** In operations where projections or splashes may occur, the use of protective goggles is recommended.

9 - PHYSICAL AND CHEMICAL PROPERTIES

- 9.1 State of aggregation: Solid
- 9.2 Color: White
- **9.3 Density**: 1,18 a 1,20 g/cm³
- 9.4 Odor: Characteristic
- 9.5 Fusion Point: ND
- 9.6 Specific Gravity: ND
- 9.7 Steam pressure: ND
- 9. Auto-ignition temperature: ND
- 9.9 Water Solubility: Insoluble
- 9.10 Asset Content: 25 35%





MATERIAL SAFETY DATA SHEET

Nr. Doviovu 00	Emission/Review date:	Last review date:	Code: MSDS-SGQ-48
Nr. Review: 00	17/11/2020	XX/XX/XXXX	

10 - STABILITY AND REACTIVITY

10.1 Chemical stability

The product is stable at room temperature, under normal conditions of use and storage.

10.2 Conditions to avoid

Temperatures above 50 °C, exposure to direct sunlight.

10.3 Hazardous decomposition products:

Fire can release toxic gases and vapors that are harmful to human health.

10.4 Reactivity None

10.5 Possibility of hazardous reactions None

10.6 Incompatible materials or substances None

11 - TOXICOLOGICAL INFORMATION

11.1 Local effects: The product may cause local irritation, depending on the form of contact and other symptoms, as described in Item 2. The toxicological information values set out below may not reflect the toxicity value of the product because the ingredients may be below concentration, may not be available for exposure or may not be relevant to the material as a whole.

11.2 Acute toxicity:

Name	Route	Espécie	Valor
Product	Dermis	- No defined value it is estimated	
			5.000 mg/Kg
Product	Ingestion	-	No defined value it is estimated DL50 >
			5.000 mg/Kg
Aliphatic hydrocarbons	Dermis	Rabbit	DL50 > 3.160 mg/kg
Aliphatic hydrocarbons	Inhalation	Rat	CL50 > 3.0 mg/L
Aliphatic hydrocarbons	Ingestion	Rat	DL50 > 5.000 mg/kg

LD – Lethal dose

LC –Lethal concentration





MATERIAL SAFETY DATA SHEET

Nr. Review: 00 Emission/Review date: 17/11/2020	Last review date: XX/XX/XXXX	Code: MSDS-SGQ-48
--	---------------------------------	-------------------

11.3 Skin corrosion/irritation: Based on the available information, this product does not have a classification for this criterion.

11.4 Serious eye damage/irritation: Based on the available information, this product does not have a classification for this criterion.

11.5 Skin sensitization: Based on the available information, this product does not have a classification for this criterion.

11.6 Mutagenicity: Based on the available information, this product does not have a classification for this criterion.

11.7 Carcinogenicity: Based on the available information, this product does not have a classification for this criterion.

11.8 Chronic Toxicity: Based on the available information, this product does not have a classification for this criterion.

12 – ECOLOGICAL INFORMATION

12.1 Environmental, behavioral effects and product impacts

Mobility: ND

Environmental behavior: Effects are not expected in consequence of proper use of the product.
However, its improper use and contact with soil or aquatic environment can cause imbalance and damage.
Degradability: ND
Bioaccumulation: ND

Ecotoxicity: ND

13 – TREATMENT AND DISPOSAL CONSIDERATION

13.1 Waste treatment methods:

Product: The product must be collected in containers for final determination under current legislation. The improper destination of empty packaging and product remains in the environment causes contamination of the soil, water and air, harming fauna, flora and people's health.

Used package: This package can be washed and recycled. Throw the empty packaging in the trash.

14 - TRANSPORT INFORMATION





MATERIAL SAFETY DATA SHEET

Nr. Review: 00 Emission/Review date: 17/11/2020	Last review date: XX/XX/XXXX	Code: MSDS-SGQ-48
--	---------------------------------	-------------------

National and international land/waterway/air regulations: Non-hazardous product according to transport regulation criteria.

15 – REGULATORY INFORMATION

15.1 National regulations: SANITATING PRODUCT NOTIFIED AT ANVISA, No. 25.351963345/2020-79, according to current legislation.

15.2 International regulations: Contact EVC Industrial for further information

16 - OTHER INFORMATION

The information and recommendations contained in this MSDS were obtained from reputable sources and based on previous experiences, refer to this specific product and are valid when used according to the label's guidelines. This document was approved electronically.

ABBREVIATIONS AND ACRONYMS

NA: Not applicable ND: Not Determined **OSHA**: Occupational Safety and Health Administration. LD50: Lethal dose, 50 percent LC50: Lethal concentration, 50 percent CAS: Chemical Abstracts Service. TLV-TWA: Threshold Limit Value – Time-Weighted Average TLV-STEL: Threshold Limit Value – Short-term exposure ACGIH: American Conference of Governmental Industrial Hygienists is an organization open to all practitioners in industrial hygiene, occupational health, environmental health, or safety. **PEL:** Permissible Exposure Limit **OSHA**: Occupational Safety and Health Administration. GGVE/GGVS: Gefahrgutverordnung Eisenbahn Bzw Strasse - decree on the transport of hazardous materials by land (railroad and highway). GGV-See: Gefahrgutverdnungg-See – decree on the transport of hazardous materials by sea. IMDG: International Maritime Dangerous Goods - international code for the transport of hazardous materials by sea. **CAO**: Cargo Aircraft Only – cargo authorized for transportation by cargo plane. **PAX**: Passenger Aircraft – amount allowed for transportation on a commercial airplane. AEL: is the acceptable exposure limit. In places where the occupational exposure limits imposed by government agencies are lower than the AEL, these limits should be preferred.