

**SECTION 1: IDENTIFICATION**

Product identifier used on the label	Verniz de Motor
Recommended use of the chemical and restrictions on use	Motor Varnish protects, shines and renews all surfaces of the motor compartment, such as metal parts, plastics, painted surfaces and rubber hoses. The product forms a lightly lubricated film that penetrates difficult places and adheres to all the aforementioned surfaces. Motor Varnish is resistant to high temperatures and offers protection for up to six months. It can also be used in chassis and wheel boxes, providing the same benefits of its application in the engine.
Manufactured by	EVC INDUSTRIAL LTDA
Address	Rua Luis Francisco Xavier n.º 520 Paupina - Fortaleza, CE
Telephone number	+55 0800 591 6496
Fax	Not available
Emergency phone number	+55 0800 591 6496
Email	sac@vonixx.com.br e info@vonixx.com
Web site	www.vonixx.com.br

SECTION 2: HAZARD(S) IDENTIFICATION**2.1 Classification of mixture**

This product is not hazardous as defined under OSHA 1900.1200

2.2 Appropriate labeling elements

No specific element or phrase on the label.

2.3 Other hazards that do not result in classification

Not available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Mixture****Hazardous Ingredients or Impurities**

Common chemical name or technical name	CAS Registration Number	Concentration or range
N-Hexane	110-54-3	90% - 95%
Polydimethylsiloxane	63148-62-9	5% - 10%

SECTION 4: FIRST-AID MEASURE**4.1 Description of first aid measures**

Inhalation	Not available
Skin contact	Not available
Eye contact	Not available
Ingestion	Not available

4.2 Most important symptoms/effects, acute and delayed

Not available

4.3 Indication of any immediate medical attention and special treatment needed

Not available



SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Not available

5.2 Special hazards arising from the substance or mixture

Not available

5.3 Special protective equipment and precautions for fire-fighters

Not available

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment, and emergency procedures

6.1.1 For personnel who are not part of the emergency services

Not available

6.1.2 For emergency service personnel

Not available

6.2 Environmental precautions

Not available

6.3 Methods and materials for containment and cleaning up

Not available

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Not available

7.2 Conditions for safe storage, including any incompatibilities

Not available

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Appropriate engineering controls Not available

N-Hexane (110-54-3)						
ACGIH	TWA: Not available (mg/m ³)	TWA: 50 ppm	STEL: Not available (mg/m ³)	STEL: Not available (ppm)	(C): Not available (mg/m ³)	(C): Not available (ppm)

8.2 Exposure controls

Biological Limit (s) Not available

8.3 Personal protective equipment

Eye/face protection Not available

Skin and body protection Not available

Respiratory protection Not available

Thermal hazards Not available

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Liquid fluid-solution, Purple.



Odor and odor threshold	Distinctive
pH	Not available
Melting point/freezing point	Not available
Initial boiling point and boiling range	Not available
Flash point	>= -22 °C closed vase
Evaporation rate	Not available
Flammability (solid, gas)	Not available
Upper/lower flammability or explosive limits	Not available
Vapor pressure	Not available
Vapor density	Not available
Relative density	Not available
Solubility(ies)	Water immiscible
Partition coefficient: n-octanol/water	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Kinematic viscosity	Not available
Dynamic viscosity	Not available
Additional information	Not available

SECTION 10: STABILITY AND REACTIVITY

Reactivity	Not available
Chemical stability	The product is chemically stable under standard ambient conditions.
Possibility of hazardous reactions	Not available
Conditions to avoid	Ignition sources. High temperatures.
Incompatible materials	Not available
Hazardous decomposition products	No known hazardous products of decomposition

SECTION 11: TOXICOLOGICAL INFORMATION

Acute Toxicity	Not available
Skin corrosion/irritation	It causes skin irritation with redness, pain and dryness.
Serious eye damage/eye irritation	Not available
Respiratory or skin sensitization	Not available
Germ cell mutagenicity	It can cause genetic abnormalities.
Carcinogenicity	It can cause cancer.
Toxicity to reproduction	Suspected of affecting fertility or the unborn child.
Specific target organ toxicity - single exposure	It may cause drowsiness or dizziness.



Specific target organ toxicity - repeated exposure

Not available

Aspiration hazard

It can be deadly by ingestion and penetration into the respiratory tract.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Ecotoxicity**

Not available

12.2 Persistence and degradability

It is expected that the product will show persistence and not be quickly degradable.

12.3 Bioaccumulative potential

Unavailable.

N-Hexane

Partition coefficient n-octanol /water (log Kow): 4 to 20 °C.

Polydimethylsiloxane

Partition coefficient n-octanol /water (log Kow): >= 57 to 25 °C.

12.4 Mobility in soil

Not available

12.5 Other adverse effects

Not available

SECTION 13: DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

Product

Not available

Rest of the product

Not available

Used packaging

Not available

SECTION 14: TRANSPORT INFORMATION**Ground transportation**

UN - "United Nations" Recommendations on the TRANSPORT OF DANGEROUS GOODS. Model Regulations

UN number

1993

Proper Shipping Name

LÍQUIDO INFLAMABLE, N.E.P.

Class

3

Subsidiary risk class or subclass

N/A

Risk number

33

Packing group

II

Maritime transport

Rules of maritime authority (NORMAM). NORMAM 01/DPC: vessels employed in open sea navigation. NORMAM 02/DPC: vessels employed in interior navigation. IMO - "International Maritime Organization". International Maritime Dangerous Goods Code (IMDG Code).

UN number

1993



Proper Shipping Name	FLAMMABLE LIQUID, N.O.S.
Class	3
Subsidiary risk class or subclass	N/A
EmS	F-E, S-E
Packing group	II
Danger to the environment	The product is not considered a marine pollutant.
Air transport	SUPPLEMENTARY INSTRUCTION - IS. ICAO "International Civil Aviation Organization" - Doc 9284-NA / 905. IATA - "International Air Transport Association". Dangerous Goods Regulation (DGR).
UN number	1993
Proper Shipping Name	FLAMMABLE LIQUID, N.O.S.
Class	3
Subsidiary risk class or subclass	N/A
Packing group	II

SECTION 15: REGULATORY INFORMATION

N/A

SECTION 16: OTHER INFORMATION

References	REACH: REGISTRATION, EVALUATION, AUTHORIZATION AND RESTRICTION OF CHEMICALS. Commission Regulation (EC) No 1272/2008 of December 2008 amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals. Available in: . Access in: 07/25/2025 ECHA: EUROPEAN CHEMICAL AGENCY. Available in: Access in: 07/25/2025 LevelOne: Level One Solutions Consultoria Ltda. Available in: https://www.levelonesolutions.com.br . Access in: 07/25/2025
Subtitles and abbreviations	Not available
Other information	This SDS has been prepared on the basis of current knowledge on the proper handling of the product and under normal conditions of use, according to the application specified on the package. Any other use of the product that involves its combination with other materials, in addition to forms of use other than those indicated, are the responsibility of the user. It is advised that the handling of any chemical substance requires prior knowledge of its hazards by the user. At the workplace, the company that uses the product should promote the training of its employees regarding the possible risks arising from exposure to the chemical.